


Where **Simplicity**
meets **Efficiency**



Treatment Table

Simplicity and Professionalism

We removed the noise.


Alera is the clinical support platform where functional simplicity ensures absolute control and maximum precision in every procedure.

Your focus returns to the essential: excellence in treatment.



Unimpeded Treatment

Recessed base with ample legroom, optimizing clinical interaction and your working comfort.



Day
Hospital

Reliable clinical support table

Hospital Consultation Rooms
Therapy Centers
Medical Clinics

Unwavering Safety merges with Functional Elegance

Your concentration requires a reliable support base.

The **Alera** is built with a robust structure and superior engineered components, ensuring exceptional stability even under dynamic load. This solidity, combined with an elegant and functional design, eliminates any unwanted movement, allowing you to execute procedures with the confidence and precision your work demands.

Stability you can feel, results that can be proven.


Effective and Intuitive Positioning

The **Alera** treatment table offers a wide range of bed surface adjustment with intuitive and practical functionalities.

The responsive controls allow for precise adjustments, placing the patient in the ideal position for treatment quickly and smoothly. This positioning effectiveness results in better ergonomics for you and optimized clinical access, minimizing preparation time.

Easy Access and Painless Consultations

Reduced minimum and elevated maximum height



Effortless or Self-sufficient Elevation?

Option of electric controls or hydraulic pedals

Efficient Manual Positioning

Supported by gas spring with bilateral activation
Trendelenburg not available in the fixed-seat versions

Seated position

High adjustability to improve patient comfort during consultation



Prone position

To facilitate access to the posterior regions during treatments or massages.



Trendelenburg

Emergency position for patients in hypovolemic shock.



Infection Control Without Compromise

Infection prevention is critical and should not delay your workflow.


The **Alera** treatment table features a deliberately optimized design that minimizes contamination accumulation points. The smooth surfaces and high-quality components, resistant to hospital-grade disinfectants, allow for fast, complete, and credible sanitization.

Less time cleaning, greater safety for you and your patient



Premium quality upholstery

Developed for hospital disinfection



Various accessories available

Side rails and various supports


Easy access structure

Design without sharp corners



100% Washable components

Both electrical and hydraulic ones



Features at a glance

Robust metal frame, epoxy coated	
Manually adjustable backrest, supported by gas spring	
(optional) Face aperture for prone positioning	
(optional) Trendelenburg manually adjustable, supported by gas spring	2 sections
(optional) Legrest manually adjustable, supported by gas spring	3 sections
Patient surface covered with high-quality synthetic leather	
Four Ø75mm ABS casters, retractable by pedal	
Leveling feet to ensure the stability of the examination table	

Bed height features

Elevation controlled by foot control	electric model
(optional) Elevation controlled by handset control	electric model
(optional) Gel batteries with low charge alarm	electric model
Elevation controlled by bilateral foot pedals	hydraulic model

Accessories

Examination paper roll holder
One-hand adjustable and removable IV rod with 4 hooks
Bilateral DIN bar with movable hooks

Foldable side rails

Dimensions +/- 5%

External dimensions	1950 x 700 mm
Bed height (electric model)	490 - 935 mm
Bed height (hydraulic model)	500 - 880 mm
Backrest / seat length (2 sections)	710 / 1210 mm
Backrest / seat / legrest length (3 sections)	710 / 470 / 680 mm

* Not available on fixed seat version

Articulations +/- 5%

Backrest inclination	-20 °- 70°
Seat inclination (2 sections) *	0° - 20°
Legrest inclination (3 sections)	-0° - 30°
Maximum load (SWL)	250 Kg

Electric bed height model

Capacities +/- 5%

Power supply	110-240 VAC, 50/60 Hz
Control unit power	200 VA
Battery capacity	1,2 Ah
DM protection	Class 1 Applied parts type B
Ingress Protection	Ipx4

Upholstery Finishes

Disponibilidade dos acabamentos não-standard sob consulta






Treatment Table

IMO - Indústrias Metalúrgicas, S.A.

Rua Dr. Aurélio Teixeira de Sousa, 575
4650-312 Rande, Portugal
T. 255 340 220
sede@imo.com.pt

www.imo.com.pt



Together with all caregivers